



(11)Publication number:

09-282618

(43) Date of publication of application: 31.10.1997

(51)Int.CI.

G11B 5/39

(21)Application number: 09-026303

(71)Applicant : HITACHI LTD

(22)Date of filing:

10.02.1997

(72)Inventor: NAKAMOTO KAZUHIRO

KAWATO YOSHIAKI

(30)Priority

Priority number: 08 26552

Priority date : 14.02.1996


Priority country: JP

(54) MAGNETO-RESISTIVE HEAD AND MAGNETIC RECORDING AND REPRODUCING DEVICE

(57)Abstract:

PROBLEM TO BE SOLVED: To suppress Barkhausen noises regardless of the intensity of magnetic domain control layers and to obtain high reproduction output even if an inter- electrode spacing is narrow.

SOLUTION: This head is formed by constituting a magneto-resistance effect film 10 of a laminated composed a first ferromagnetic film 8, a nomnagnetic conductive film 20 and second ferromagnetic films 22, 24, laminating the second ferromagnetic film 24 on an antiferroelectric film 16 and arranging the magnetic domain control layers 12 on both sides in the transverse direction of the magneto-resistance effect film 10. The head has a pair of electrodes 14 on the respective magnetic domain control layers 12. The head has the



structure to pass currents only to the central part of the magneto-resistance effect film 10 by making the inter-electrode spacing of the respective electrodes 4 narrower than the width of the magneto-resistance effect film 10.

LEGAL STATUS

[Date of request for examination]

02.04.2002

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2000 Japan Patent Office

MENU SEARCH INDEX DETAIL JAPANESE

1/1